



NAOMI PAUL

Be subtle or bold with our Colour Block, Ombré and Pattern choices.


Solid
Available for all pendants




Colour Block
Available for:
Glück, Monika, Sonne
Simple Shade 02, 03
DC Simple Shade 01, 02, 03
DC Beret Simple Shade
Jupe Solitaire
Solitaire 01, 02, 03
Totem Solitaire




Demi
Available for:
Simple Shade 01
DC Simple Shade 01
DC Beret Simple Shade
Jupe Solitaire
Solitaire 01, 02, 03
Totem Solitaire



Harlequin
Available for:
Simple Shade 01
DC Simple Shade 01
DC Beret Simple Shade
Jupe Solitaire
Solitaire 01, 02, 03
Totem Solitaire




Double Cloth Edge
Available for:
V2 Glück
Vex
Cave




Ombré
Available for:
Simple Shade 03
DC Simple Shade 03
Jupe Solitaire
Solitaire 03




Demi Trim
Available for:
Simple Shade 01
DC Simple Shade 01




Harlequin Trim
Available for:
Simple Shade 01
DC Simple Shade 01




Trim
Available for:
Simple Shade 01, 02, 03
DC Simple Shade 01, 02, 03




Deep Trim
Available for:
Simple Shade 01
DC Simple Shade 01



Demi Deep Trim
Available for:
Simple Shade 01
DC Simple Shade 01



Harlequin Deep Trim
Available for:
Simple Shade 01
DC Simple Shade 01



COLOUR COLLECTION
NEUTRALS

100% Egyptian mercerized cotton
Oeko-Tex Standard 100 certified dyes

*Colour swatches available to order

COLOUR COLLECTION
MARL

100% Egyptian mercerized cotton
Oeko-Tex Standard 100 certified dyes

*Colour swatches available to order



Milk 292



Chalk 504



Ecrú 291



Cloud 560



Down Grey 374



Putty 363



Powder 644




Rosa 575

Our pendants are made using Naomi's signature mercerized cotton cord developed by the Naomi Paul Studio.

The yarn is first spun and dyed in Italy before being knitted into the tensioned cable yarn in Lancashire. The dyed cotton yarn is Oeko-Tex certified which guarantees the safety of a non-toxic and hypo-allergenic product.



Putty 363 + Ecrú 291 Marl



Down Grey 374 + Ecrú 291 Marl



Nut 436 + Chalk 504 Marl



Storm 578 + Chalk 504



Midnight 346 + Chalk 504 Marl



Russet 584 + Chalk 504 Marl



Deepsea 416 + Ecrú 291 Marl



Marsh 367 + Chalk 504 Marl



Green Gold 408 + Ecrú 291 Marl

COLOUR COLLECTION
ACCENTS

100% Egyptian mercerized cotton
Oeko-Tex Standard 100 certified dyes

*Colour swatches available to order


COLOUR COLLECTION
CELESTE

100% Egyptian mercerized cotton
Oeko-Tex Standard 100 certified dyes

*Colour swatches available to order




Olive 306



Green Gold 408



Storm 578



Rust 421



Marsh 367



Russet 583




Midnight 346



Nut 436




Deepsea 416



Clementine 582



Pistache 433



Bud 577



Cacao 441




Barley 296




Violette 324

FRAMEWORK



Brass hand bent wire framework example on Sonne Ø60cm Pendant.



Brass lasercut framework example on DC SS03 Ø100cm Pendant.

We use a combination of lasercut and fine hand bent wire frames within our lighting designs.

Each frame is crocheted into the body of the fabric, once complete the metalwork is just visible between the stitches on the outer rim of each shade, as shown in the images opposite.

Our metalwork is crafted for us in the UK by small scale specialist fabricators.

Custom finishes are available on request.



LACQUERED
BRASS

Our standard finish



CORD SET OPTIONS

Our lighting is supplied with 3 core triple insulated braided round cable.
Custom lengths available on request.

240v Braided Cord


Technical Standard:

Low Voltage European Directive
No. 2014/35/UE
Stranding of conductor:
Flexible tinned copper conductor
Insulation: 180 °C FEP insulation

Cord Assembly:
The cores are twisted together
Outer Sheath:
Clear 90 °C PVC sheath
Textile Braid:
Polyester or Viscose Rayon

Colour

- | | |
|----------|----------|
| 1. White | 5. Grey |
| 2. Ivory | 6. Olive |
| 3. Nut | 7. Navy |
| 4. Brass | |




USA UL Braided Cord

Technical Standard:

UL Listed E471255
SVT-B Flexible Electrical Wire
3 conductors, 18 gauge
1/4" overall cord diameter
Indoor Use
VW-1 Flame Rating
Temp -20°C to +105°C

Cord Assembly:
Outer Sheath: PVC
Textile Braid: Rayon



Our pendants are supplied with braided cord, a ceiling canopy and bulb socket cover.
Custom finishes and sizes are available on request.

Ceiling Canopy


Standard finish - White / Raw Brass
Ø12.5 cm x H 2 cm



Suspension Rod

*Available with select pendants.

Standard finish - Raw Brass
Ø12 mm x 50 / 100 cm.
Custom lengths available.




Bulb Socket Cover

Standard finish - Raw Brass
E12/E14 & E26/E27




WALL LIGHT WIRING OPTIONS

Our Wall lights are fabricated in solid brass, which we hand brush and wax to allow a gradual patina over time. Custom finishes available on request.



COLOUR & FINISH OPTIONS

Wiring Options



Backplate Dimensions

Short	Switch	D x E (cm)	Long	Switch	D x E (cm)
	No switch	11 x 8		No switch	15 x 8
	Push switch	13 x 8		Push switch	17 x 8

